Notice of Allowability	Application No.	Applicant(s)
	10/529,876	POOL ET AL.
	Examiner	Art Unit
	Brian J. Livedalen	2878
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-6,8 and 10</u> .		
 3.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	. —	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5.	Patent Application (PTO-152)
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da	te
Paper No./Mail Date <u>4/06</u> , <u>11/06</u> , <u>12/06</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	9. Other	Gen 317. Epps Supervisor Datent Examiner Technology Center 2800

Art Unit: 2878

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Amir Rohani on 9/20/2006.

The application has been amended as follows:

Claim 1, line 7: change "charged" to --charge--.

Cancel claim 7.

Cancel claim 9.

Claim 10, line 6: change "cell" to --element--.

Allowable Subject Matter

Claims 1-6, 8, and 10 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1-6, 8, and 10 are neither anticipated nor made obvious by the prior art of record.

In regard to claim 1, the prior art of record fails to disclose a charge division arrangement having an array of elements arranged in rows and columns wherein some of the elements are arranged in a charge division unit having a first element and a second element in adjacent columns and being communicable at least temporarily so that charge introduced into the first

Page 3

element is divided between the first element and the second element, the charge division unit being arranged to produce divided charge for production at the output.

In regard to claim 10, the prior art of record fails to disclose a CCD imager device having an array of elements arranged in rows and columns arranged to operate in an image mode or a charge division mode, in the image mode elements in adjacent columns are separated by barriers and in the charge division mode at least some of the elements in adjacent columns are communicable such that charge in one element is divided between that element and an element in an adjacent column.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Livedalen whose telephone number is (571) 272-2715. The examiner can normally be reached on 8:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272-2328. The Art Unit: 2878

fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

bjl

Géozgia CPP Supervisory Patent Examiner Technology Center 2800